

06.14-00

A

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application Transmittal

Box Patent Application
 Assistant Commissioner for Patents
 Washington, D.C. 20231

jc833 U.S. PTO
 09/592308
 06/13/00

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: CARY LEE BATES AND PAUL REUBEN DAY

For: METHOD AND APPARATUS FOR PROVIDING SPELLING ANALYSIS

Enclosed are:

- ☒ 15 sheets of specification and 1 abstract
☒ 3 sheets of drawings
☒ A Declaration and Power of Attorney
☐ An Information Disclosure Statement and form PTO-1449
☐ A certified copy of a ___ application
☒ An assignment of the invention to International Business Machines Corporation, Armonk, New York 10504 and Recordation form PTO-1595

The filing fee has been calculated as follows:

Other Than Small Entity

For:	No. Filed	No. Extra
Basic Fee		
Total Claims	27 -20 =	7
Indep. Claims	3 -3 =	0
<input type="checkbox"/> Multiple Dependent Claim Presented		

Rate	Fee
	\$ 690.00
x \$18.00=	\$126.00
x \$78.00=	\$0.00
\$260.00	\$ 0.00
TOTAL	\$816.00

EXPRESS MAIL CERTIFICATE

Express Mail Label No.: EL635441755US

Date: JUNE 13, 2000

I hereby certify that the enclosed or attached paper is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service on the above date, addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

B. Todd Patterson
 B. TODD PATTERSON

Patent Application Transmittal
 Attorney Docket No.: ROC920000014

Deposit Account Authorization:

☒ Please charge Deposit Account No. 09-0465 in the amount of \$816.00. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account 09-0465. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 C.F.R. §1.16.

☒ Any patent application processing fees under 37 C.F.R. §1.17.

Respectfully submitted,

Date: 6/13/2000

By B. Todd Patterson
B. Todd Patterson
Registration No.: 37,906

IBM Corporation
Intellectual Property Law, Dept. 917
3605 Highway 52 North
Rochester, MN 55901-7829

(507) 253-4660 voice

(507) 253-2382 fax

Patent Application Transmittal
Attorney Docket No.: ROC920000014

UNITED STATES PATENT APPLICATION FOR:

METHOD AND APPARATUS FOR PROVIDING SPELLING ANALYSIS

INVENTORS:

CARY LEE BATES

PAUL REUBEN DAY

Certification Under 37 CFR 1.10

I hereby certify that this New Application and the documents referred to as enclosed therein are being deposited with the United States Postal Service on June 13, 2000, in an envelope marked as "Express Mail United States Postal Service," Mailing Label No. EL635441755US to: Assistant Commissioner for Patents, Box PATENT APPLICATION, Washington, D.C. 20231.

B. Todd Patterson

Name

B. Todd Patterson

Signature

6/13/2000

Date of Signature

09593300 061300
00ET90 00026560

METHOD AND APPARATUS FOR PROVIDING SPELLING ANALYSIS

BACKGROUND OF THE INVENTION

Field of the Invention

This invention relates to text editing systems, and, more particularly, the invention relates to a method, an article of manufacture and apparatus for performing spelling analysis.

Background of the Related Art

Computer-based text editors can be found in word processors and spreadsheets for providing spelling and grammar correction. One purpose of document checking software is to assist a person in producing a high quality document without spelling and grammar mistakes. Implicit in producing a high quality document is that corrections be made in the least amount of time and that the software be able to accurately detect a user's mistakes.

Conventional spell and grammar checking software analyze a user's document for errors by comparing the words in the user's document to the words in the software's database. If words in the user's document do not match words in the software's database, the user's words are highlighted, and the user is given the option to change the word.

However, one problem with conventional spell and grammar checking software is that the software analyzes a user's document with no reference to a user's spelling habits. For instance, a user may have a habit of typing the word "an" rather than the word "and". Since the word is spelled correctly, the word would not be detected by a conventional software.

A second problem with conventional spell and grammar checking software is the inability of the software to detect a user's problem words. For instance, the two sentences, "Thomas and Eagle went to the store" and "Thomas an Eagle went to the store" are both grammatically correct. Hence, conventional software would not be able to detect the user's problem words "and" and "an". Therefore, the user would have to manually detect the correction. This results in inefficient use of time and lost

productivity for the user.

Therefore, a need exists in the art for a method, an article of manufacture and apparatus for providing spelling analysis in an efficient manner.

5 SUMMARY OF THE INVENTION

The invention provides a method, an article of manufacture and apparatus for providing spelling analysis for a document.

One aspect of the invention provides a method for providing user-specific error analysis to identify as problem words any correctly spelled words of a document that are improperly used. The method comprises recording contents of the document as pre-
10 edited contents, allowing a user to replace each problem word contained in the document with a respective replacement word. The problem words and replacement words are then stored to a first data structure, wherein each problem word is associated with the respective replacement word.

Another aspect of the invention provides a computer readable medium
15 containing a program which, when executed by a processor, performs the method described above.

Still another aspect of the provides a computer comprising a memory device, a processor configured to access the memory device and configure to execute the method
20 described above for providing user-specific error analysis to identify as problem words any correctly spelled words of a document that are improperly used.

BRIEF DESCRIPTION OF THE DRAWINGS

The teachings of the present invention can be readily understood by considering
25 the following detailed description in conjunction with the accompanying drawings, in which:

FIG. 1 depicts a high level block diagram of a computer system suitable for use with the present invention for providing spelling analysis;

FIG. 2 depicts an illustrative analysis spelling list in tabular form suitable for
30 use in the computer system of FIG. 1;

FIG. 3 depicts an illustrative problem word table suitable for use in the computer system of FIG. 1;

FIG. 4 depicts a flow diagram of a spelling analysis method useful for understanding the present invention;

FIG. 5 depicts a flow diagram of a shortcut for providing spelling analysis according to the present invention; and

FIG.s 6A and 6B depict illustrative sentences for showing an application of the invention.

To facilitate understanding, identical reference numerals have been used, where possible, to designate identical elements that are common to the figures.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 1 depicts a high level block diagram of a computer system 100 suitable for use with the present invention for providing spelling analysis in accordance with the present invention. Specifically, the computer system 100 includes a computer 101 and an input/output device or devices 102 such as a monitor, a keyboard, a mouse, a trackball and the like. The computer 101 comprises a central processing unit 104, support components 106, input/output circuits 108 and a memory 110. The memory 110 may be a solid state memory, a disc drive, an optical memory, a removable memory device, or a combination of memory devices. The input/output circuits 108 provide a well-known interface from the CPU 104 to the I/O devices 102. Additionally, the I/O circuits 108 may optionally contain a network interface card or modem that couples the computer to a network such that a user may have access to the present invention from any computer connected to the network. The support components 106 are well known in the art and include such components as cache, power supplies, clock circuits, and the like.

The combination of all the components and elements shown in Fig. 1 forms a general purpose computer that, when executing a particular software package or routine, becomes a specific purpose computer. In this case, the CPU 104, when executing the spell check software 116 of the present invention, operates as a spell checking processor. The spell check software 116, word processor 118 and document 120 reside in memory 110. Memory 110 also includes data structures necessary for the operation of spell check software 116. For example, one such data structure is pre/post analysis spelling table 200. An embodiment of pre/post analysis table 200 is shown in

FIG. 2. A second example of a data structure is problem word table 300. One such embodiment is shown in FIG. 3. Both pre/post analysis table 200 and problem word table 300 are stored in spelling table storage 114 within the memory 110.

As will be described in detail below, one embodiment of the invention is implemented as a program product for use with a computer, for example, computer system 100. The program(s) of the program product defines functions of the preferred embodiment and can be contained on a variety of signal bearing media, which include, but are not limited to (i) information permanently stored on non-writable storage media (e.g., read only memory devices within a computer such as CD-ROM disks readable by a CD-ROM drive); (ii) alterable information stored on writable storage media (e.g. floppy disks within a diskette drive or hard disk drive); or (iii) information conveyed to a computer by a communications medium, such as through a computer or telephone network, including wireless communications. Such signal bearing media, when carrying computer readable instructions that direct the functions of the present invention, represent embodiments of the present invention.

FIG. 2 depicts an illustrative pre/post analysis spelling list 200 in tabular form suitable for use in the computer system of FIG. 1. Specifically, pre/post analysis table 200 comprises a user name identifier within a user name field 202 and a plurality of records R21 through R29, each record is associated with a respective PRE field 210, a respective POST field 220 and a respective CHANGED field 230.

FIG. 3 depicts an illustrative problem word table 300 suitable for use in the computer system of FIG. 1. Specifically, problem word table 300 comprises a user name identifier within a user name field 202 and a plurality of records R31 through R34. Each record is associated with a respective WORD field 310, a respective PRIORITY field 320, a respective COLOR field 330, a respective NUMBER of CHANGES field 340 and a respective REPLACED WORD field 350.

The WORD field 310 indicates a word from table 200 that was changed. The PRIORITY field 320 indicates a priority level for problem words allowing particular words to be grouped together. For example, the user may find that “they’re”, “there” and “there” are problem words that are frequently encountered and may seek to group those words in the same priority levels. The COLOR field 330 indicates a color for a problem word based on the problem word’s respective priority level. The NUMBER of

CHANGES field 340 indicates the amount of times a respective problem word has been changed to a correct word. In one embodiment, the field 340 is used to determine which problem word should receive high priority. A problem word with a large number of changes could be indicative of a proclivity to incorrectly use that particular problem word and may be given a higher priority. The REPLACED WORD field 350 indicates the replacement word to use whenever the respective problem word is encountered.

FIG. 4 depicts a flow diagram of a spelling analysis method 400 useful in understanding the present invention. To best understand the invention, the reader should simultaneously refer to FIG.s 2-4.

The method 400 comprises a pre/post analysis stage 401 and a problem word table generation stage 403. The method 400 is initiated at step 402 and proceeds to step 404 where the user has completed a document and executes the spell check software 116 and is prompted for a user name. By inputting a user name in the user name field, the user name will be assigned to a corresponding table 200 and table 300. If the user does not input a user name, a default user name will be assigned to the user corresponding to all non-specified users and a corresponding table 200 and 300 will be assigned.

At step 406, the pre/post analysis table 200 is retrieved from memory 110. The method 400 proceeds to step 408 where a "pre" flag is set. Setting the "pre" flag causes the PRE field 210 to be populated with all the words from the users' document.

The user then executes the spell check software 116 of the invention to perform pre-processing wherein the document (or selected text) is scanned by spell check processor 112. Each word is placed in PRE field 210, which indicates pre-processed words. Illustratively, the user's document comprises the sentence, "We are going to and open house to celebrate". Accordingly, PRE field 210 of records R21 through R29 is depicted as containing the following words from the users document: "we" in R21, "are" in R22, "going" in R23, "to" in R24, "and" in R25, "open" in R26, "house" in R27, "to" in R28 and "celebrate" in R29.

It should be noted that table 200 is shown with only nine records (R21 through R29). However, it will be appreciated by those skilled in the art that table 200 may comprise an unlimited number of records.

Next, at step 410, the user manually reviews the document and identifies and

corrects problem words. At step 412 the “post” flag is set. By setting the “post” flag, the spell check processor 112 stores every word of the edited document to the POST field 220. In this example, the problem word is “and” and the user corrects the word to “an”. POST field 220 of records R21 through R29 is depicted as indicating the processed words as follows: “we” in R21, “are” in R22, “going” in R23, “to” in R24, “an” in R25, “open” in R26, “house” in R27, “to” in R28 and “celebrate” in R29. The method 400 proceeds to step 414.

At step 414, the spell check processor 112 compares PRE field 210 of records R21 through R29 to POST field 220 of records R21 through R29. At step 416, the results are placed in CHANGED field 230. CHANGED field 230 of records R21 through R29 is depicted as follows: “no” in R21, “no” in R22, “no” in R23, “no” in R24, “yes” in R25, “no” in R26, “no” in R27, “no” in R28 and “no” in R29.

Illustratively, record R25 of table 200 indicates that a pre-process word “and” was compared to a post process word “an” and that a word change was made. The changed words are referred to herein as “problem words”.

At step 418, a query is made as to whether there is a “yes” value in CHANGED field 230. If the query at step 418 is answered negatively, then the method 400 proceeds to step 430. If the query at step 418 is answered affirmatively, then the method proceeds to step 420 where the problem word table 300 is retrieved.

Field 310 of record R31 of problem word table 300 indicates that “and” is a problem word for the user. The value contained in field 320 for that particular word is “1” indicating the highest priority. For instance, selection of a priority level may be based on the number of instances the particular problem word has been changed. Field 330 indicates the color assigned to this problem word is “red”. Thus, for each instance of the problem word, in a document the word will be highlighted in “red”. Field 340 indicates that the problem word has been changed twice since the user has been operating spell check software 116. Field 350 indicates the user has determined from pre/post analysis table 200 that the problem word has been used incorrectly and has replaced the problem word with “an”.

Field 310 of record R32 of problem word table 300 indicates that “they’re” is a problem word for the user. The value contained in field 320 for that particular word is “2” indicating a nearly high priority level. Field 330 indicates the selected color

assigned to this problem word is “blue”. Thus, for each instance of the problem word, in a document the word will be highlighted in “blue”. Field 340 indicates that the problem word has been changed once since the user has been operating spell check software 116. Field 350 indicates the user has determined from pre/post analysis table 200 that the problem word has been used incorrectly and has replaced the problem word with “their”.

Field 310 of record R33 of problem word table 300 indicates that “there” is a problem word for the user. The value contained in field 320 for that particular word is “2” indicating a nearly high priority level. Field 330 indicates the selected color assigned to this problem word is “blue”. Thus, for each instance of the problem word, in a document the word will be highlighted in “blue”. Field 340 indicates that the problem word has been changed once since the user has been operating spell check software 116. Field 350 indicates the user has determined from pre/post analysis table 200 that the problem word has been used incorrectly and has replaced the problem word with “their”.

Field 310 of record R34 of problem word table 300 indicates that “their” is a problem word for the user. The value contained in field 320 for that particular word is “2” indicating a nearly high priority level. Field 330 indicates the selected color assigned to this problem word is “blue”. Thus, for each instance of the problem word, in a document the word will be highlighted in “blue”. Field 340 indicates that the problem word has been changed once since the user has been operating spell check software 116. Field 350 indicates the user has determined from pre/post analysis table 200 that the problem word has been used incorrectly and has replaced the problem word with “there”.

Field 350 of records R31, R32, R33, and R34 indicate that “an”, “their”, “their” and “there” are replacement words for the respective problem words. For instance, after a user confirms in table 200 that the changes between PRE field 210 and Post field 220 are what the user wanted, spell check processor 112 populates Field 350 of table 300 with values in Post field 220 based on a “yes” value in CHANGED field 230.

It is noted that table 300 is shown with only four records (R31 through R34). However, it will be appreciated by those skilled in the art that table 300 may comprise an unlimited number of records.

Although problem word table 300 is described as being used after the pre/post analysis table 200 has been populated, the problem word table 300 can be used separately from the pre/post analysis table 200. For instance, once the problem word table 300 has been populated by the pre/post analysis table 200 from previous sessions, the user can retrieve problem word table 300 and scan a document for problem words.

In another embodiment of the invention, the user can assign priority levels and colors to problem words. For example a user may determine that the problem word with the lowest number of changes should be given the highest priority level. In addition the user can select a color to assign to any problem word. Although colors are mentioned as a means of characterizing problem words, it should be noted that any type of characterization of the problem words may be used by those skilled in the art.

In another embodiment of the invention, prior art spell check or grammar software is utilized to group problem words. For example, "there", their" and "they're" may be grouped together since these words may be incorrectly substituted for each other by a user. Using the present invention, the words could be placed in problem word table 300 and the user prompted as to whether a change should be made whenever any of the grouped words are encountered in a document.

In another embodiment of the invention, as soon as a user types a problem word that is in problem word table 300, the user is prompted as to whether the word should be changed or not. Illustratively, the prompting can be a dialog box or word highlighting.

In another embodiment of the invention, the invention can be used to compare two documents and synchronize or match words. In comparing the PRE field 210 and Post field 220 the invention can allow for the addition and deletion of words in a document. For instance, if the only change to the second document is to add the word "eventually", the invention will detect that "eventually" is a new word. Therefore, the word "eventually" will not be displayed in Post field 220. Similarly, if the word "happy" is deleted from the second document, the invention will detect that "happy" was deleted and not record the deletion as a change in Changed field 230.

Returning again to FIG. 4, a query is made at step 422 as to whether the changed word exists in the problem word table 300. If the query at step 422 is answered affirmatively, the method 400 proceeds to step 424. At step 424, the value contained in

the Number of Changes field 340 of table 300 is increased by one for the respective changed word.

If the query at step 422 is answered negatively, the method proceeds to step 428 where the changed word is added to the WORD field 310 of the problem word table 300. The method 400 then returns to step 424.

At step 426 a query is made as to whether any more changed words exist in the pre/post analysis table 200. If the query at step 426 is answered affirmatively, the method 400 returns to step 422. Accordingly, method 400 returns to step 422 for each changed word contained in table 200. If the query at step 426 is answered negatively, the method 400 proceeds to step 430.

After determining that no changed words exist in the pre/post analysis table 200 (step 418) or determining that no additional changed words exist in the pre/post analysis table 200 (step 426), the method 400 proceeds to step 430, where the method exits.

FIG. 5 depicts a flow diagram of a shortcut method 500 for providing spelling analysis according to the present invention. Accordingly, the user can avoid typing the whole document, making changes to the document and having those changes recorded in the problem word table 300. The method 500 allows a user to quickly target specific words that the user knows before hand are problem words. The method 500 is initiated at step 502 and proceeds to step 504. At step 504, a short-cut flag is set, and the method proceeds to step 506.

At step 506, the user is prompted for a problem word. The user then inputs a problem word. The method 500 proceeds to step 508 where the document (or selected text) is scanned and the problem words are highlighted throughout the document.

At step 510, the problem words are edited by the user according to whether each of the identified problem words is used correctly or not. The method 500, then proceeds to step 512.

At step 512, the short-cut flag is reset. If the short-cut flag is not reset, the problem words in the document will continue to be highlighted and spell check software 116 remains in the short cut state. The method 500 then proceeds to step 514 where the method 500 ends.

In operation, the data collected and stored in table 300 is utilized to identify

problem words in a target document. FIG.s 6A and 6B show a display area 600 of an output device (e.g., a monitor) and illustrate an application of the invention. Figure 6 shows an uncorrected sentence which contains a problem word (i.e., the word "and"). The problem word is identified by accessing table 300 which has been previously populated in the manner described above. As shown in Figure 3, field 310 of record R31 contains the problem word "and". Since the problem word "and" is contained in the user's sentence, the word "and" in the user's document will be highlighted in red according to the color definition contained in field 330. For purposes of illustration, the problem word is shown bolded in FIG. 6A.

A replacement word "an" from Replacement Word field 350 of record R31 will then be displayed to the user. The user will then determine whether the word "and" should be replaced with the word "an". If the user determines the word "and" should be replaced, the spell check software 116 will make the correction in the user's document. The corrected sentence is shown in FIG. 6B.

It should be noted that both the sentences, "Thomas and Eagle went to the store" and "Thomas an Eagle went to the store" are grammatically correct. The use of problem table 300 allows the user to detect problem words that would be undetectable by prior art software.

Although various embodiments which incorporate the teachings of the present invention have been shown and described in detail herein, those skilled in the art can readily devise many other varied embodiments that still incorporate these teachings.

WHAT IS CLAIMED IS:

1. A method for providing user-specific error analysis to identify as problem words any correctly spelled words of a document that are improperly used, the method comprising:
 - allowing a user to replace each problem word contained in the document with a respective replacement word; and
 - storing each problem word and respective replacement word to a first data structure, wherein each problem word is associated with the respective replacement word.
2. The method of claim 1, further comprising accessing the first data structure to identify problem words in another document.
3. The method of claim 1, further comprising:
 - prior to the step of allowing, recording contents of the document as pre-edited contents;
 - subsequent to the step of allowing and prior to the step of storing, recording the contents of the document as post-edited contents; and
 - comparing the pre-edited contents to the post-edited content to identify the problem words and the replacement words.
4. The method of claim 3, wherein the steps of recording comprise storing the pre-edited contents and post-edited contents to a second data structure.
5. The method of claim 4, wherein the first data structure and the second data structure are the same.
6. The method of claim 1, further comprising assigning a priority value to each problem word.
7. The method of claim 6, wherein the priority value is determined according to a number of times a particular problem word is replaced by the user with the respective

1 replacement word.

2
3 8. The method of claim 1, further comprising assigning a formatting definition to
4 each problem word for use in identifying problem words on a display device.

5
6 9. The method of claim 8, wherein the formatting definition is selected from one of
7 a color, a shading, a textual modification, an underline and any combination thereof.

8
9 10. A computer readable medium containing a software program which, when
10 executed by a processor, causes the processor to perform a method for providing user-
11 specific error analysis to identify as problem words any correctly spelled words of a
12 document that are improperly used, the method comprising:

13 allowing a user to replace each problem word contained in the document with a
14 respective replacement word; and

15 storing the problem words and replacement words to a first data structure,
16 wherein each problem word is associated with the respective replacement word.

17
18 11. The computer readable medium of claim 10, further comprising accessing the
19 first data structure to identify problem words in another document

20
21 12. The computer readable medium of claim 10, further comprising:
22 prior to the step of allowing, recording contents of the document as pre-edited
23 contents;

24 subsequent to the step of allowing and prior to the step of storing, recording the
25 contents of the document as post-edited contents; and

26 comparing the pre-edited contents to the post-edited content to identify the
27 problem words and the replacement words.

28
29 13. The computer readable medium of claim 12, wherein the steps of recording
30 comprise storing the pre-edited contents and post-edited contents to a second data
31 structure.

14. The computer readable medium of claim 13, wherein the first data structure and the second data structure are the same.

15. The computer readable medium of claim 10, further comprising assigning a priority value to each problem word.

16. The computer readable medium of claim 15, wherein the priority value is determined according to a number of times a particular problem word is replaced by the user with the respective replacement word.

17. The computer readable medium of claim 10, assigning a formatting definition to each problem word for use in identifying problem words on a display device.

18. The computer readable medium of claim 17, wherein the formatting definition is selected from one of a color, a shading, a textual modification, an underline and any combination thereof.

19. A computer comprising a memory device, a processor configured to access the memory device and configure to execute a method for providing user-specific error analysis to identify as problem words any correctly spelled words of a document that are improperly used, the method comprising:

allowing a user to replace each problem word contained in the document with a respective replacement word; and

storing the problem words and replacement words to a first data structure, wherein each problem word is associated with the respective replacement word.

20. The computer of claim 19, further comprising accessing the first data structure to identify problem words in another document

21. The computer of claim 19, further comprising:

prior to the step of allowing, recording contents of the document as pre-edited contents;

1 subsequent to the step of allowing and prior to the step of storing, recording the
2 contents of the document as post-edited contents; and
3 comparing the pre-edited contents to the post-edited content to identify the
4 problem words and the replacement words.
5

6 22. The computer of claim 21, wherein the steps of recording comprise storing the
7 pre-edited contents and post-edited contents to a second data structure.
8

9 23. The computer of claim 22, wherein the first data structure and the second data
10 structure are the same.
11

12 24. The computer of claim 19, further comprising assigning a priority value to each
13 problem word.
14

15 25. The computer of claim 24, wherein the priority value is determined according to
16 a number of times a particular problem word is replaced by the user with the respective
17 replacement word.
18

19 26. The computer of claim 19, assigning a formatting definition to each problem
20 word for use in identifying problem words on a display device.
21

22 27. The computer of claim 26, wherein the formatting definition is selected from
23 one of a color, a shading, a textual modification, an underline and any combination
24 thereof.




Fig. 1

	210	220	230
	PRE	POST	CHANGED
R21	WE	WE	NO
R22	ARE	ARE	NO
R23	GOING	GOING	NO
R24	TO	TO	NO
R25	AND	AN	YES
R26	OPEN	OPEN	NO
R27	HOUSE	HOUSE	NO
R28	TO	TO	NO
R29	CELEBRATE	CELEBRATE	NO

202 — USER NAME

Fig. 2

200

00592308-001300

	310	320	330	340	350
	WORD	PRIORITY	COLOR	NUMBER OF CHANGES	REPLACEMENT WORD
R31	AND	1	RED	2	AN
R32	THEY'RE	2	BLUE	1	THEIR
R33	THERE	2	BLUE	1	THEIR
R34	THEIR	2	BLUE	1	THERE

202 — USER NAME

300

Fig. 3




Fig. 5

600

THOMAS **AND**
EAGLE WENT TO
THE STORE

Fig. 6A

600

THOMAS AN
EAGLE WENT TO
THE STORE

Fig. 6B



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Docket No.: **ROC920000014**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS FOR PROVIDING SPELLING ANALYSIS

the specification of which (check one)

X is attached hereto.

_____ was filed on _____ as

Application Serial No. _____ and

was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

X (NONE) _____ YES _____ NO
(Number) (Country) (Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States Application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and

the national or PCT international filing date of this application:

X (NONE) _____
(Application Serial No.) (Filing Date) (Status) (Patented, Pending, Abandoned)


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.
(List name and registration number)

Roy W. Truelson - 34,265 Edward A. Pennington - 32,588
William J. McGinnis, Jr. - 25,698 Joseph C. Redmond, Jr. - 18,753
Steven W. Roth - 34,712 Gero G. McClellan - 44,227
James R. Nock - 42,937
John E. Hoel - 26,279
Christopher A. Hughes - 26,914

Send Correspondence to: Gero G. McClellan
Thomason, Moser & Patterson, L.L.P.
3040 Post Oak Boulevard, Suite 1500
Houston, Texas 77056-6582

Direct Telephone Calls to: Gero G. McClellan
713-623-4844


Full name of sole or first Inventor: CARY LEE BATES

Inventor's signature

Date

6-8-00

Residence: 450 73RD STREET N.W.
ROCHESTER, MINNESOTA 55901

Citizenship: U.S.A.


Post Office Address:
Same as above

Docket No.: ROC920000014

3

Full name of second Inventor: PAUL REUBEN DAY

Inventor's signature


 AVENUE N.E.

Date _____

6-12-2000

Residence: 1428 12TH AVENUE N.E.

ROCHESTER, MINNESOTA 55906

Citizenship: U.S.A.

Post Office Address

Same as above

X This declaration ends with this page.